



A systemic tablet insecticide for the long term control of Psyllids, Gall Wasps, Beetles, White Grub, Cutworm, Termites and Bark beetles as listed on Forestry.



SUPPOSITREE™

Reg. No. L10090 Act No.36 of 1947
Insecticide Group Code: A4

Active Ingredient: Imidacloprid (70g/kg)
UnNo: 2588

BATCH NO.

DATE OF MANUFACTURE

EXPIRY DATE

DIRECT APPLICATION TABLET



CAUTION
VERSIGTIG



Registration Holder & Manufactured by:
I-CAT International Consulting and Trading (Pty) Ltd
Co. Reg. No. 2012/058514/07
PostNet Suite # 577
Private Bag X37
Lynnwood Ridge, 0040
REPUBLIC OF SOUTH AFRICA

+27 (0)86 112 4228
info@i-cat.co.za
www.i-cat.co.za

WARNINGS

- Handle with care.
- Harmful if absorbed through the skin or swallowed.
- Toxic to aquatic invertebrates.
- Toxic to bees.
- Toxic to birds
- Store in the original container in a cool place away from food and feedstuffs.
- Keep out of reach of children, uninformed persons and animals.
- In case of poisoning call a doctor and make label available to him/her.
- Re-entry: Do not enter treated area within 1 day after treatment unless wearing protective clothing.

Although this product has been extensively tested under a large variety of conditions, the registration holder does not warrant that this product will be effective under all conditions. The activity and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the insect against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Wear protective clothing when applying this product.
- Do not inhale fumes.
- Wash contaminated clothing daily.
- Wash with soap and water after use or accidental skin contact.
- Do not eat, drink or smoke whilst applying or before washing hands and face.
- Prevent contamination of food, feedstuffs, drinking water and eating utensils.
- Clean the applicator after use and dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
- Do not re-use the empty container for any other purposes but destroy it by perforation, flattening and bury in an approved dumpsite. Prevent contamination of food, feedstuffs, drinking water and eating utensils. Comply with local legislation applying to waste disposal.

RESISTANCE MANAGEMENT

For resistance management, **SUPPOSITREE** is a group code 4A insecticide. Any insect population may contain individuals naturally resistant to **SUPPOSITREE** and other group code 4A insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly and consecutively. These resistant insects may not be controlled by **SUPPOSITREE** or any other group code 4A insecticides.

To delay insecticide resistance:

- Avoid exclusive repeated and consecutive use of insecticides from the same insecticide group code. Alternate with products from different insecticide group codes.
- Do not apply **SUPPOSITREE** or any product that belongs to the same chemical group, more than once per year. Integrate with other control methods (chemical, cultural, biological) into insect control programs.

For specific information on resistance management contact the registration holder of this product.

DIRECTIONS FOR USE: Use only as indicated.

APPLICATION INFORMATION:

Do not apply to crops under stress. Do not apply through irrigation systems.

COMPATIBILITY:

SUPPOSITREE is compatible with some pesticide formulations.

CROP / PEST	DOSAGE RATE	REMARKS
FORESTRY <i>Eucalyptus Transplants</i> Foliar Insects: Psyllids (Psyllida), Gall wasps (Ophelimus maskelli), Beetles (Hetrobostrychus brunneus). Soil Insects: White grub (Scarabaeidae), Cutworm (Agrotis), Termites (Macrotermes spp), Bark beetles (Hylastes angustatis).	Dosage per tree: 1 tablet	Apply one SUPPOSITREE tablet per planting rotation (8 – 10 years).